	L #	Hits	Search Text	DBs	Time Stamp
1	L8	7	(laptop mobile wireless handheld cellular) with (conver\$4 translat\$3 transcod\$3 encod\$3 encrypt43 compil\$3 interpret\$3 reprogram\$3) same retriev\$3 with content	USPAT	2003/04/25 12:02
2	L9	62	(laptop mobile wireless handheld cellular pagen pda) same (conver\$4 translat\$3 transcod\$3 encod\$3 encrypt43 compil\$3 interpret\$3 reprogram\$3) same (respon\$4 return\$3 reply render\$3 retriev\$3) with content	USPAT	2003/04/25 12:07
3	L12	21	11 and (html hdml xml chtml)	USPAT	2003/04/25 12:13
4	L11	50	(laptop mobile wireless handheld cellular pagen pda) with (conver\$4 translat\$3 transcod\$3 encod\$3 encrypt43 compil\$3 interpret\$3 reprogram\$3 engine state adj machine manager handler) same (respon\$4 return\$3 reply render\$3 retriev\$3) with content	USPAT	2003/04/25 12:15
5	L13	0	(laptop mobile wireless handheld cellular pagen pda) with (conver\$4 translat\$3 transcod\$3 encod\$3 encrypt43 compil\$3 interpret\$3 reprogram\$3 engine state adj machine manager handler) with (second\$3 other specific unique) adj3 (language program application module script code) same (respon\$4 return\$3 reply render\$3 retriev\$3) with content	USPAT	2003/04/25 12:20

4	

	r #	Hits	Search Text	DBs	Time Stamp
6	L14	5	(laptop mobile wireless handheld cellular pagen pda) and (conver\$4 translat\$3 transcod\$3 encod\$3 encrypt43 compil\$3 interpret\$3 reprogram\$3 engine state adj machine manager handler) with (second\$3 other specific unique) adj3 (language program application module script code) same (respon\$4 return\$3 reply render\$3 retriev\$3) with content	USPAT	2003/04/25 12:22

	Hits	Search Text
1	9178	<pre>(single only) adj3 (input entry) same (plurality multiple diferent two more) adj3 (inputs entries)</pre>
2	278	<pre>(single only) adj3 (input entry) same (plurality multiple diferent two more) adj3 (inputs entries).ab.</pre>
3	11	((single only) adj3 (input entry) same (plurality multiple diferent two more) adj3 (inputs entries).ab.) and (web internet html www hdml xml chtml hypertext)
4	791	conver\$3 same (mobile wireless pda handheld).ab.
5	7	<pre>(conver\$3 same (language html xml hdml chtml hypertext) same (mobile wireless pda handheld)).ab.</pre>
6	0	(translat\$3 conver\$3 interpret\$3) same (one single entry) adj5 (language html xml hdml chtml hypertext) with (mobile wireless pda handheld) same (plurality multiple different two more three) adj4 (inputs entries)
7	1	(translat\$3 conver\$3 interpret\$3) same (one single entry) adj5 (page) with (mobile wireless pda handheld) same (plurality multiple different two more three) adj4 (pages)
8	1	(translat\$3 conver\$3 interpret\$3 render\$3) same (one single entry) adj5 (request command) with (mobile wireless pda handheld) same (plurality multiple different two more three separate\$2) adj4 (respon\$4 reply portion frames windows displays view)
9	0	(translat\$3 conver\$3 interpret\$3 render\$3) same (one single) adj5 (entry input question request command) with (mobile wireless pda handheld) same (plurality multiple different two more three separate\$2) adj4 (respon\$4 reply portion frames windows displays view)
10	21	(translat\$3 conver\$3 interpret\$3 render\$3) same (one single) adj5 (entry input question request command) with (mobile wireless pda handheld) and (plurality multiple different two more three separate\$2) adj4 (respon\$4 reply portion frames windows displays view)

	Hits	Search Text
11	33	(translat\$3 conver\$3 interpret\$3 render\$3).ab. and (one single) adj5 (entry input question request command) with (mobile wireless pda handheld) and (plurality multiple different two more three separate\$2) adj4 (respon\$4 reply portion frames windows displays view)
12	1118	(translat\$3 conver\$3 interpret\$3 render\$3).ab. and (one single) adj3 (page entry input question request command) same (plurality multiple different two more three separate\$2) adj3 (respon\$4 reply portion frames windows displays view pages)
13	86	((translat\$3 conver\$3 interpret\$3 render\$3).ab. and (one single) adj3 (page entry input question request command) same (plurality multiple different two more three separate\$2) adj3 (respon\$4 reply portion frames windows displays view pages)) and (mobile wireless personal adjassistan\$3 pda handheld)
14	86	(translat\$3 conver\$3 interpret\$3 render\$3).ab. and (((translat\$3 conver\$3 interpret\$3 render\$3).ab. and (one single) adj3 (page entry input question request command) same (plurality multiple different two more three separate\$2) adj3 (respon\$4 reply portion frames windows displays view pages)) and (mobile wireless personal adj assistan\$3 pda handheld))
15	1036	(translat\$3 conver\$3 interpret\$3 render\$3) same(one single) adj3 (page entry input question request command) same (plurality multiple different two more three separate\$2) adj3 (respon\$4 reply portion frames windows displays view pages)

	Hits	Search Text
16	22	((translat\$3 conver\$3 interpret\$3 render\$3).ab. and (((translat\$3 conver\$3 interpret\$3 render\$3).ab. and (one single) adj3 (page entry input question request command) same (plurality multiple different two more three separate\$2) adj3 (respon\$4 reply portion frames windows displays view pages)) and (mobile wireless personal adj assistan\$3 pda handheld))) and ((translat\$3 conver\$3 interpret\$3 render\$3) same(one single) adj3 (page entry input question request command) same (plurality multiple different two more three separate\$2) adj3 (respon\$4 reply portion frames windows displays view pages))
17	1646	(translat\$3 conver\$3 interpret\$3 render\$3) same(one single) adj3 (page entry input question request command format) same (plurality multiple different two more three separate\$2) adj3 (respon\$4 reply portion frames windows displays view pages formats)
18	24	((translat\$3 conver\$3 interpret\$3 render\$3).ab. and (((translat\$3 conver\$3 interpret\$3 render\$3).ab. and (one single) adj3 (page entry input question request command) same (plurality multiple different two more three separate\$2) adj3 (respon\$4 reply portion frames windows displays view pages)) and (mobile wireless personal adj assistan\$3 pda handheld))) and ((translat\$3 conver\$3 interpret\$3 render\$3) same(one single) adj3 (page entry input question request command format) same (plurality multiple different two more three separate\$2) adj3 (respon\$4 reply portion frames windows displays view pages formats))

	L #	Hits	Search Text
1	L6	70176	(single one) adj3 (input entry) same (plurality multiple more two different) adj3 (entries inputs)
2	L7	6884	(single one) adj3 (input entry) with first same (plurality multiple more two different) adj3 (entries inputs) with second
3	L8	663	(hdml xml html software java\$6 applet script code) with first same (wireless mobile portable hand adj held pda handheld pager) same (conver\$4 translat\$3 interpret\$3 transcod\$3 transform\$3 reformat\$4)
4	L9	3	7 and 8
5	L10	105	(single one) adj3 (input entry) with first adj3 (program application instructions hdml xml html software java\$6 applet script code) and (plurality multiple more two different) adj3 (entries inputs) with second adj3 (program application instructions hdml xml html software java\$6 applet script code)

	L #	Hits	Search Text
6	L11	68228	(wireless mobile portable hand adj held pda handheld pager) same (conver\$4 translat\$3 interpret\$3 transcod\$3 transform\$3 reformat\$4)
7	L12	3 .	10 and 11
8	L13	78	10 not ("2001" "2002" "2003").ay.
9	L14	8	(wireless mobile portable hand adj held pda handheld pager) and (conver\$4 translat\$3 interpret\$3 transcod\$3 transform\$3 reformat\$4) and 13
10	L15	44	(single one) adj3 (input entry) with first adj (program application instructions hdml xml html software java\$6 applet script code) and (plurality multiple more two different) adj3 (entries inputs) with second adj (program application instructions hdml xml html software java\$6 applet script code)

	L #	Hits	Search Text
11	L16	36	15 not ("2001" "2002" "2003").ay.
12	L17	46	(single one) adj3 (input entry) with first adj (format language template file device unit) and (plurality multiple more two different) adj3 (entries inputs) with second adj (format language template file device unit)
13	L18	35	17 not ("2001" "2002" "2003").ay.
14	L19	9	(wireless mobile portable hand adj held pda handheld pager) and (conver\$4 translat\$3 interpret\$3 transcod\$3 transform\$3 reformat\$4) and 17
15	L21	764	(single one) adj3 (input entry) with first same (conver\$4 translat\$3 interpret\$3 transcod\$3 transform\$3 reformat\$4) same (plurality multiple more two different) adj3 (entries inputs) with second

	L#	Hits	Search Text
16	L22	136	(single one) adj3 (input entry) with first same (conver\$4 translat\$3 interpret\$3 transcod\$3 transform\$3 reformat\$4) same (plurality multiple more two different) adj3 (entries inputs) with second.ab.
17	L23	13	(wireless mobile portable hand adj held pda handheld pager radio rf) and 22
18	L24	56	(single one) adj (input entry) with first same (conver\$4 translat\$3 interpret\$3 transcod\$3 transform\$3 reformat\$4) same (plurality multiple more two different) adj (entries inputs) with second.ab.
19	L25	260	(single one) adj (input entry) with first same (conver\$4 translat\$3 interpret\$3 transcod\$3 transform\$3 reformat\$4) same (plurality multiple more two different) adj (entries inputs) with second
20	L26	51	24 not ("2001" "2002" "2003").py.

	L #	Hits	Search Text
21	L27	219	25 not ("2001" "2002" "2003").py.
22	L28	10	(single one) adj (input entry) with first adj50 (conver\$4 translat\$3 interpret\$3 transcod\$3 transform\$3 reformat\$4) adj50 (plurality multiple more two different) adj (entries inputs) with second
23	L29	6	(conver\$4 translat\$3 interpret\$3 transcod\$3 transform\$3 reformat\$4)adj50 (single one) adj (input entry) with first adj50 (plurality multiple more two different) adj (entries inputs) with second
24	L30	- 3558	(single one) adj5 first same (conver\$4 translat\$3 interpret\$3 transcod\$3 transform\$3 reformat\$4) same (plurality multiple more two different) adj5 second
25	L31	2952	(single one) adj5 first same (conver\$4 translat\$3 interpret\$3 reformat\$4) same (plurality multiple more two different) adj5 second

	L #	Hits	Search Text
26	L32	226	31 and 11
27	L33	1559	(single one) adj5 first with (conver\$4 translat\$3 interpret\$3 reformat\$4) with (plurality multiple more two different) adj5 second
28	L34	115	32 and 33
29	L35	48	34 not ("2001" "2002" "2003").py.
30	L36	169	first same (conver\$4 translat\$3 interpret\$3) with (language english spanish chineses japanses korea german\$2 kanji) same (plurality multiple more two different) adj5 second

k

	L#	Hits	Search Text
31	L37	106	36 not ("2001" "2002" "2003").py.
32	L38	:	first near2 (single one only) same (conver\$4 translat\$3 interpret\$3) with (language english spanish chineses japanses korea german\$2 kanji) same (plurality multiple more two different) adj5 second
33	L39	20	38 not ("2001" "2002" "2003").py.

	Hits	Search Text
1	7717	(conver\$4 translat\$3 reformat\$4 interpret\$5) same (html xml chtml hdml)
2	1025	(conver\$4 reformat\$4) same (html xml chtml hdml).ab.
3	127	((conver\$4 reformat\$4) same (html xml chtml hdml).ab.) and (mobile wireless)
4	43	(conver\$4 reformat\$4) same database and (((conver\$4 reformat\$4) same (html xml chtml hdml).ab.) and (mobile wireless))

	L #	Hits	Search Text
1	L1	49399	(language linguistic english spanish chinese korean france french german\$2 kanji) with (conver\$4 translat\$3 interpret\$5)
2	L2	15635	((language linguistic english spanish chinese korean france french german\$2 kanji) with (conver\$4 translat\$3 interpret\$5)).ab.
3	L3	429105	(inpput entry) same (inputs entries)
4	L4	963	2 and 3
5	L5		2 and 3 and (mobile handheld pda laptop wireless)

	L #	Hits	Search Text
6	L6	65	5 and (xml html hdml)
7	L 7	26	6 not ("2001" "2002" "2003").ay.
8	L8	24629	(english spanish chinese korean france french german\$2 kanji) with (conver\$4 translat\$3 interpret\$5)
9	L9	6	7 and 8
10	L10	163657 6	7 and 8 (display\$3 dictinary)

	L #	Hits	Search Text
11	L11	4	7 and 8 and (display\$3 dictinary)
12	L12	3	11 and menu
13	L13	4	11 and (choice select\$4)
14	L14	34894	("a" one only single) adj(input entry) same (two more different plurality multiple) adj3 (inputs entries)
15	L15		2 and 14 and (xml html hdml) and (display\$3 with dictionary)

	L#	Hits	Search Text
16	L16	1	2 and 14 and (xml html hdml)
17	L17	38	2 and 14
18	L18	33	17 not ("2001" "2002" "2003").ay.
19	L19	5602	select\$4 adj5 ("a" one only single) adj(input entry) and (two more different plurality multiple) adj3 (output inputs entries)
20	L20	4	2 and 19 not ("2001" "2002" "2003").ay.

	L#	Hits	Search Text
21	L21		("a" one only single) adj (input entry) with (first language) and (two more different plurality multiple) adj3 (output inputs entries) with (second language)
22	L22	23	2 and 21 not ("2001" "2002" "2003").ay.
23	L23	139	("a" one only single) adj(input entry) and (two more different plurality multiple) adj3 (inputs output entries) and 2
24	L24	14	("a" one only single) adj (input entry) with language and (two more different plurality multiple) adj3 (inputs output entries)with language and 2